

A/C TYPE		A/C S/N		REG. NO.	A/C T.T.	HOBBS	A/C LDG.	DATE		
AS350D		1436		N816CF	6707.5	78.4	10309	3/23/2006		
DATE OF DEL		DATE OF MAN.		ENG.S/N	ENG. T.T.	ENG. CY				
				LE-443433	6561.3	10309.4 GAS GEN 10309.4 PT				
REM	PART NUMBER	DESCRIPTION	S/N	PART HRS/CY	REMAINING HRS/CY	REMOVE HRS/CY	TBO SLL	INSTALLED SUPPORT HRS/CY	INSTALLED PART HRS/CY	
75%	350A31-0033-05	AVA		HRS	615.0	1885.0	8592.5	2500	6092.5	0.0
	350A31-0033-05	AVA				1885.0	8592.5	12 YRS	Aug-98	
86%	350A11-0010-07	MAIN ROTOR BLADE	4882	HRS	2809.5	17190.5	23898.0	20000	3898.0	0.0
86%	350A11-0010-07	MAIN ROTOR BLADE	4952	HRS	2809.5	17190.5	23898.0	20000	3898.0	0.0
86%	350A11-0010-07	MAIN ROTOR BLADE	4956	HRS	2809.5	17190.5	23898.0	20000	3898.0	0.0
	350A31-0000-02	M/R HEAD	M617					6 YRS	Aug-02	
30%	350A31-1831-07	UPPER SLEEVE	M8229	HRS	2809.5	1190.5	7898.0	4000	3898.0	0.0
30%	350A31-1831-07	UPPER SLEEVE	M8273	HRS	2809.5	1190.5	7898.0	4000	3898.0	0.0
30%	350A31-1831-07	UPPER SLEEVE	M8797	HRS	2809.5	1190.5	7898.0	4000	3898.0	0.0
30%	350A31-1831-06	LOWER SLEEVE	M8815	HRS	2809.5	1190.5	7898.0	4000	3898.0	0.0
30%	350A31-1831-06	LOWER SLEEVE	M8816	HRS	2809.5	1190.5	7898.0	4000	3898.0	0.0
30%	350A31-1831-06	LOWER SLEEVE	M8818	HRS	2809.5	1190.5	7898.0	4000	3898.0	0.0
72%	350A31-1907-03	M/R STAR	M4261	HRS	615.5	1584.5	8292.0	2200	6092.0	0.0
56%	704A33-633-109	SPH. THRUST BRG	5011	HRS	2809.5	3590.5	10298.0	6400	3898.0	0.0
56%	704A33-633-109	SPH. THRUST BRG	5221	HRS	2809.5	3590.5	10298.0	6400	3898.0	0.0
56%	704A33-633-109	SPH. THRUST BRG	5223	HRS	2809.5	3590.5	10298.0	6400	3898.0	0.0
66%	350A31-2067-20	SPH. THR. BOLT	11623	HRS	1705.5	3294.5	10002.0	5000	5002.0	0.0
66%	350A31-2067-20	SPH. THR. BOLT	11628	HRS	1705.5	3294.5	10002.0	5000	5002.0	0.0
66%	350A31-2067-20	SPH. THR. BOLT	11629	HRS	1705.5	3294.5	10002.0	5000	5002.0	0.0
66%	350A31-2067-20	SPH. THR. BOLT	11632	HRS	1705.5	3294.5	10002.0	5000	5002.0	0.0
66%	350A31-2067-20	SPH. THR. BOLT	11635	HRS	1705.5	3294.5	10002.0	5000	5002.0	0.0
66%	350A31-2067-20	SPH. THR. BOLT	11638	HRS	1705.5	3294.5	10002.0	5000	5002.0	0.0
89%	350A37-1244-20	M/R ATT. BOLT	49065	HRS	234.5	1965.5	8673.0	2200	6473.0	0.0
89%	350A37-1244-20	M/R ATT. BOLT	49070	HRS	234.5	1965.5	8673.0	2200	6473.0	0.0
89%	350A37-1244-20	M/R ATT. BOLT	49071	HRS	234.5	1965.5	8673.0	2200	6473.0	0.0
89%	350A37-1244-20	M/R ATT. BOLT	49072	HRS	234.5	1965.5	8673.0	2200	6473.0	0.0
89%	350A37-1244-20	M/R ATT. BOLT	49073	HRS	234.5	1965.5	8673.0	2200	6473.0	0.0
89%	350A37-1244-20	M/R ATT. BOLT	49075	HRS	234.5	1965.5	8673.0	2200	6473.0	0.0
89%	350A37-1245-20	M/R ATT. BOLT	44115	HRS	234.5	1965.5	8673.0	2200	6473.0	0.0
89%	350A37-1245-20	M/R ATT. BOLT	44116	HRS	234.5	1965.5	8673.0	2200	6473.0	0.0
89%	350A37-1245-20	M/R ATT. BOLT	44117	HRS	234.5	1965.5	8673.0	2200	6473.0	0.0
89%	350A37-1245-20	M/R ATT. BOLT	44118	HRS	234.5	1965.5	8673.0	2200	6473.0	0.0
89%	350A37-1245-20	M/R ATT. BOLT	44119	HRS	234.5	1965.5	8673.0	2200	6473.0	0.0
89%	350A37-1245-20	M/R ATT. BOLT	44120	HRS	234.5	1965.5	8673.0	2200	6473.0	0.0
92%	350A31-1877-02	BLADE HORN	N/A	HRS	6707.5	73292.5	80000.0	80000	0.0	0.0
92%	350A31-1877-02	BLADE HORN	N/A	HRS	6707.5	73292.5	80000.0	80000	0.0	0.0
92%	350A31-1877-03	BLADE HORN	N/A	HRS	6707.5	73292.5	80000.0	80000	0.0	0.0
77%	350A37-0003-05	M/R MAST	M615	LDG	27166.6	92833.4	103142.4	120000	10255.4	27113.0
	350A37-0003-05	M/R MAST SPLINE INSP	M615	INSP				6 YRS	Apr-04	
	350A37-0003-05	M/R MAST POLE INSP	M615	INSP				12 YRS	Apr-04	
98%	704A33-651-158	SWASHPLATE BRG.	NR3913	HRS	78.5	4721.5	11429.0	4800	6629.0	0.0
97%	350A32-0100-10	EPICYCLIC GEAR	M144	HRS	78.4	2921.6	9629.1	3000	6629.1	0.0
	350A32-0100-10	EPICYCLIC GEAR	M144	INSP				12 YRS	Apr-04	
	350A32-0100-10	EPICYCLIC GEAR	M144	O/H				24 YRS	Apr-04	
99%	350A32-1082-03	PLANET GEAR	L22497	HRS	78.4	5921.6	12629.1	6000	6629.1	0.0
99%	350A32-1082-03	PLANET GEAR	L22499	HRS	78.4	5921.6	12629.1	6000	6629.1	0.0
99%	350A32-1082-03	PLANET GEAR	L22504	HRS	78.4	5921.6	12629.1	6000	6629.1	0.0
99%	350A32-1082-03	PLANET GEAR	L22233	HRS	78.4	5921.6	12629.1	6000	6629.1	0.0

A/C TYPE		A/C S/N	REG. NO.	A/C T.T.	HOBBS	A/C LDG.	DATE			
AS350D		1436	N816CF	6707.5	78.4	10309	3/23/2006			
DATE OF DEL		DATE OF MAN.	ENG.S/N	ENG. T.T.	ENG. CY					
			LE-443433	6561.3	10309.4 GAS GEN 10309.4 PT					
%	REM	PART NUMBER	DESCRIPTION	S/N	PART HRS/CY	REMAINING HRS/CY	REMOVE HRS/CY	TBO SLL	INSTALLED SUPPORT HRS/CY	INSTALLED PART HRS/CY
99%		350A32-1082-03	PLANET GEAR	L22505	HRS 78.4	5921.6	12629.1	6000	6629.1	0.0
100%		350A32-1103-21	GEAR CARRIER	ZF 831	LDG 53.6	49446.4	59755.4	49500	10255.4	0.0
97%		350A32-0300-04	BEVEL RED. GEAR	M1746	HRS 78.4	2921.6	9629.1	3000	6629.1	0.0
		350A32-0300-04	BEVEL RED. GEAR	M1746	INSP		Apr-16	12 YRS	Apr-04	
		350A32-0300-04	BEVEL RED. GEAR	M1746	O/H		Apr-28	24 YRS	Apr-04	
97%		350A32-0040-00	OIL PUMP ASSY	M1786	HRS 78.4	2921.6	9629.1	3000	6629.1	0.0
66%		350A33-0200-04	TAIL GEAR BOX	M237	HRS 1009.5	1990.5	8698.0	3000	5698.0	
		350A33-0200-04	TAIL GEAR BOX	M237	YRS		Aug-09	12 YRS	Aug-97	
		350A33-0200-04	TAIL GEAR BOX	M237	YRS		Sep-21	24 YRS	Aug-97	
93%		350A33-2004-03	T/R SPIDER ASSY	MA0393	HRS 78.4	1121.6	7829.1	1200	6629.1	0.0
97%		704A33-651-190	T/R SPIDER BRG	N/A	HRS 78.4	2921.6	9629.1	3000	6629.1	0.0
40%		355A12-0040-08	T/R BLADE ASSY	4303	HRS 2409.5	1590.5	8298.0	4000	4460.0	162.0
		355A09-1036-01	T/R LAMINATE BRG	N/A	HRS 2409.5			COND	4460.0	162.0
		350A34-0110-06	T/R DRIVESHAFT ASSM	2156	INSP		Mar-18	12 YRS	Mar-06	
44%		704A33-651-111	DRIVE SHAFT BRG		HRS 2008.5	1591.5	8299.0	3600	4699.0	
		704A33-651-111	DRIVE SHAFT BRG		CAL		Mar-11	5 YRS	Mar-06	
44%		704A33-651-111	DRIVE SHAFT BRG		HRS 2008.5	1591.5	8299.0	3600	4699.0	
		704A33-651-111	DRIVE SHAFT BRG		CAL		Mar-11	5 YRS	Mar-06	
44%		704A33-651-111	DRIVE SHAFT BRG		HRS 2008.5	1591.5	8299.0	3600	4699.0	
		704A33-651-111	DRIVE SHAFT BRG		CAL		Mar-11	5 YRS	Mar-06	
44%		704A33-651-111	DRIVE SHAFT BRG		HRS 2008.5	1591.5	8299.0	3600	4699.0	
		704A33-651-111	DRIVE SHAFT BRG		CAL		Mar-11	5 YRS	Mar-06	
44%		704A33-651-111	DRIVE SHAFT BRG		HRS 2008.5	1591.5	8299.0	3600	4699.0	
		704A33-651-111	DRIVE SHAFT BRG		CAL		Mar-11	5 YRS	Mar-06	
		350A35-1105-00	GIMBAL RING COUPLIN/A		INSP		Apr-16	12 YRS	Apr-04	
41%		SC5082-1	M/R SERVO (pich) 23		HRS 1779.5	1220.5	7928.0	3000	4928.0	0.0
46%		SC5081-1	M/R SERVO (rt lat 6		HRS 1607.5	1392.5	8100.0	3000	5100.0	0.0
93%		SC5084	M/R SERVO (lft la128		HRS 199.5	2800.5	9508.0	3000	6508.0	0.0
97%		SC5071-1	TAIL SERVO 14		HRS 78.5	2921.5	9629.0	3000	6629.0	0.0
87%		704A33-690-004	HYDRAULIC BELT (including spare)		HRS 78.4	521.6	7229.1	600	6629.1	0.0
100%		23032-027	START/GEN.	22199	HRS 0.0	1200.0	7907.5	1200	6707.5	0.0
100%		23032-022	START/GEN BRUSH	7842	HRS 0.0	100.0	6807.5	100	6707.5	
69%		704A44-510-030	FUEL PUMP BRUSH CK		HRS 615.0	1385.0	8092.5	2000	6092.5	
ENGINE								Engine TT		
100%		4-081-000-57	ACCESS G/B MODULE	W81J002	HRS 0.0	1200.0	7761.3	1200	6561.3	0.0
100%		4-101-000-38	GP MODULE	W81J002	HRS 0.0	1200.0	7761.3	1200	6561.3	0.0
100%		4-101-006-39	AXIAL COMPRESSOR	050644911732	HRS 0.0	15000.0	21561.3	15000	6561.3	0.0
100%		4-101-006-39	AXIAL COMPRESSOR	050644911732	CYC 0.0	25000.0	35309.4	25000	10309.4	0.0
96%		4-101-052-57	IMPELLER	960350104787	HRS 615.3	14384.7	20946.0	15000	6561.3	615.3
92%		4-101-052-57	IMPELLER	960350104787	CYC 788.4	9211.6	19521.0	10000	10309.4	788.4
91%		4-101-007-12	COMPRESSOR SHAFT	85J020	HRS 1276.4	13723.6	20284.9	15000	6561.3	1276.4
88%		4-101-007-12	COMPRESSOR SHAFT	85J020	CYC 3041.3	21958.7	32268.1	25000	10309.4	3041.3

A/C TYPE AS350D	A/C S/N 1436	REG. NO. N816CF	A/C T.T. 6707.5	HOBBS 78.4	A/C LDG. 10309	DATE 3/23/2006
DATE OF DEL	DATE OF MAN.	ENG.S/N LE-443433	ENG. T.T. 6561.3	ENG. CY 10309.4 GAS GEN 10309.4 PT		

								INSTALLED	INSTALLED	
					PART	REMAINING	REMOVE	TBO	SUPPORT	PART
REM	PART NUMBER	DESCRIPTION	S/N	HRS/CY	HRS/CY	HRS/CY	SLL	HRS/CY	HRS/CY	
80%	4-111-015-14	G.P. DISC	BK7147	HRS	1009.9	3990.1	10551.4	5000	6561.3	1009.9
77%	4-111-015-14	G.P. DISC	BK7147	CYC	1467.2	4832.8	15142.2	6300	10309.4	1467.2
93%	4-111-018-05	G.P. SPACER	SC57393	HRS	1009.9	13990.1	20551.4	15000	6561.3	1009.9
90%	4-111-018-05	G.P. SPACER	SC57393	CYC	1467.2	13532.8	23842.2	15000	10309.4	1467.2
93%	4-111-019-08	G.P. SEALING PLATE	961365102782	HRS	1009.9	13990.1	20551.4	15000	6561.3	1009.9
94%	4-111-019-08	G.P. SEALING PLATE	961365102782	CYC	1467.2	23532.8	33842.2	25000	10309.4	1467.2
100%	4-141-000-57	PT MODULE	W81J002	HRS	0.0	1200.0	7761.3	1200	6561.3	0.0
100%	4-141-290-18	P.T. ROTOR	051365100727	HRS	0.0	12000.0	18561.3	12000	6561.3	0
100%	4-141-290-11	P.T. ROTOR	051365100727	CYC	0.0	11000.0	21309.4	11000	10309.4	0
38%	4-301-288-07	FUEL CONTROL	334001	HRS	1485.0	915.0	7476.3	2400	6561.3	1485.0
81%	4-301-377-01	FUEL PUMP	3AFP115	HRS	445.9	1954.1	8515.4	2400	6561.3	445.9
100%	4-301-289-05	GOVERNOR	85450120	HRS	0.0	2400.0	8961.3	2400	6561.3	0.0
14%	4-301-102-09	AIR FLOW MODULE	85440045	HRS	2062.0	338.0	6899.3	2400	5018.3	519.0
100%	4-301-235-07	OVERSPEED LIMTER	32862	HRS	0.0	1800.0	8361.3	1800	6561.3	0.0
25%	4-301-243-01	OIL PUMP	LA204B	HRS	1807.6	592.4	7153.7	2400	4753.7	0.0
100%	4-301-166-01	OIL PUMP SPLINES	LA204B	HRS	0.0	1200.0	7761.3	1200	6561.3	0.0
100%	4-301-099-07	T-1 Sensor	18579	HRS	0.0	2400.0	8961.3	2400	6561.3	0.0
100%	4-301-637-01	FUEL MANIFOLD	1AKA0005	CYC	0.0	3000.0	13309.4	3000	10309.4	0
100%	100 HR ENGINE INSP				0.0	100.0	6661.3	100	6561.3	
100%	300 HR ENGINE INSP				0.0	300.0	6861.3	300	6561.3	
100%	600 HR ENGINE INSP				0.0	600.0	7161.3	600	6561.3	
100%	1200 HR ENGINE INSP				0.0	1200.0	7761.3	1200	6561.3	

INSPECTION	HRS REMAIN	DUE AT A/C HRS	FREQ	
30 HR.	30.0	6737.5	30	6707.5
TYPE S 100 HR.	100.0	6807.5	100	6707.5
T INSPECTION	421.6	7129.1	500	6629.1
2T INSPECTION	921.6	7629.1	1000	6629.1
4T INSPECTION	1921.6	8629.1	2000	6629.1
5T INSPECTION	1389.6	8097.1	2500	5597.1
5000 HR INSPECTION	3889.6	10597.1	5000	5597.1
ANNUAL INSPECTION		Mar-07	12	Mar-06
2 YEAR INSPECTION		Apr-06	24	Apr-04
4 YEAR INSPECTION		Apr-08	48	Apr-04
6 YEAR INSPECTION		Apr-10	72	Apr-04
8 YEAR INSPECTION		May-07	96	May-99
10 YEAR INSPECTION		Mar-07	120	Mar-97
12 YEAR INSPECTION		Mar-09	120	Mar-97
2 YR. TRANSPONDER		May-06	24	May-04
PITOT/STATIC		May-06	24	May-04
FIRE EXT WT CK		Apr-07	12	Apr-06
ELT BATT		Nov-07	N/A	Mar-06
FAR 91.207 PAR D ELT INSPECTION		Mar-07	12M	Mar-06
ENGINE OIL ACIDITY CHECK	50.0	6757.5	50	6707.5
ENGINE OIL REPLACEMENT	100.0	6807.5	100	6707.5
ENGINE OIL REPLACEMENT		Mar-07	12M	Mar-06

A/C TYPE AS350D	A/C S/N 1436	REG. NO. N816CF	A/C T.T. 6707.5	HOBBS 78.4	A/C LDG. 10309	DATE 3/23/2006
DATE OF DEL	DATE OF MAN.	ENG.S/N LE-443433	ENG. T.T. 6561.3	ENG. CY 10309.4 GAS GEN 10309.4 PT		

% REM		PART NUMBER	DESCRIPTION	S/N	PART HRS/CY	REMAINING HRS/CY	REMOVE HRS/CY	TBO SLL	INSTALLED SUPPORT HRS/CY	INSTALLED PART HRS/CY
			HYD FILTER CLEAN			100.0	6807.5	100	6707.5	
			HYD FILTER REPLACEMENT			921.6	7629.1	1000	6629.1	
			HYD FLUID REPLACEMENT			100.0	6807.5	100	6707.5	
			HYD FLUID REPLACEMENT				Mar-07	12M	Mar-06	
			MGB FILTER INSPECTION			100.0	6807.5	100	6707.5	
			MGB FILTER REPLACEMENT			421.6	7129.1	500	6629.1	
			MGB OIL CHANGE			500.0	7207.5	500	6707.5	
			MGB OIL CHANGE				Mar-07	12M	Mar-06	
			T/R GEARBOX OIL CHANGE			500.0	7207.5	500	6707.5	
			T/R GEARBOX OIL CHANGE				Mar-07	12M	Mar-06	
			BATTERY CAPACITY CHECK			600.0	7307.5	600	6707.5	
			BATTERY CAPACITY CHECK				Mar-07	12 MON	Mar-06	

A/C TYPE AS350D	A/C S/N 1436	REG. NO. N816CF	A/C T.T. 6707.5	HOBBS 78.4	A/C LDG. 10309	DATE 3/23/2006
DATE OF DEL	DATE OF MAN.	ENG. S/N LE-443433	ENG. T.T. 6561.3	ENG. CY 10309.4 GAS GEN 10309.4 PT		

% REM	PART NUMBER	DESCRIPTION	S/N	PART HRS/CY	REMAINING HRS/CY	REMOVE HRS/CY	TBO SLL	INSTALLED	INSTALLED
								SUPPORT HRS/CY	PART HRS/CY
	SERVICE BULLETINS								
01.00.16	MAIN ROTOR SLEEVE REPLACEMENT				1190.5	7898.0	4000	3898	0
01.00.16	MAIN ROTOR SLEEVE REPLACEMENT				1190.5	7898.0	4000	3898	0
01.00.16	MAIN ROTOR SLEEVE REPLACEMENT				1190.5	7898.0	4000	3898	0
01.00.48	T/R SPIDER BEARING RETIREMENT				4175	10882.5	1200	9682.5	
05.00.08 R5	T/R DRIVESHAFT HANGAR BRGS VISUAL INSP PARA 1.C.(2)(B)				100.0	6807.5	100	6707.5	
05.00.08R5	TAIL ROTOR DRIVESHAFT HANGAR BEARINGS PARAGRAPH 1.C.(2)				500.0	7207.5	500	6707.5	
05.00.11R5	INSPECTION OF TAIL ROTOR BLADE PARAGRAPH 1.C.(2)				421.6	7129.1	500	6629.1	
05.00.28	MAIN CROSSBEAM INSPECTION (DAILY)				30.0	6737.5	30	6707.5	
05.00.28	MAIN CROSSBEAM INSPECTION (DYE CHECK)				1921.6	8629.1	2000	6629.1	
05.00.33	(PARAGRAPH 2.B.2) T/R SPIDER INSPECTION FOR TORQUE				DAILY	DAILY	DAILY	DAILY	
05.00.40	T/R BLADE SKIN INSPECTION				DAILY	DAILY	DAILY	DAILY	
05.00.43	CHECK OF THE REAR FRAME STRUCTURE (TAILBOOM) VISUAL 2.B.1.A.				100.0	6807.5	100	6707.5	
LT101-73-20-0229	FUEL PUMP INTERNAL DRIVE SPLINE INSPECTION				600.0	7307.5	600.0	6707.5	

A/C TYPE AS350D	A/C S/N 1436	REG. NO. N816CF	A/C T.T. 6707.5	HOBBS 78.4	A/C LDG. 10309	DATE 3/23/2006
DATE OF DEL	DATE OF MAN.	ENG.S/N LE-443433	ENG. T.T. 6561.3	ENG. CY 10309.4 GAS GEN 10309.4 PT		

% REM	PART NUMBER SERVICE LETTERS	DESCRIPTION	S/N	PART HRS/CY	REMAINING HRS/CY	REMOVE HRS/CY	TBO SLL	INSTALLED	INSTALLED
								SUPPORT HRS/CY	PART HRS/CY
		S.L. 1367-64-98 TAIL ROTOR PITCH CHANGE BEARING INSPECTION			DAILY	DAILY	DAILY		
AIRWORTHINESS DIRECTIVES									
	86-19-15R1	MAIN ROTOR SLEEVES REPLACEMENT			1190.5	7898.0	4000	3898	0
	86-19-15R1	MAIN ROTOR SLEEVES REPLACEMENT			1190.5	7898.0	4000	3898	0
	86-19-15R1	MAIN ROTOR SLEEVES REPLACEMENT			1190.5	7898.0	4000	3898	0
	2000-20-19	MAIN ROTOR STAR ARMS & MGB SUSP BARS			421.6	7129.1	500	6629.1	
	2000-25-08	MAIN ROTOR CROSSBEAM INSPECTION			30.0	6737.5	30	6707.5	
	2000-25-08	MAIN ROTOR CROSSBEAM DYE CHECK INSPECTION			1921.6	8629.1	2000	6629.1	
	2001-04-14	FUSELAGE TO TAILBOOM JUCTION FRAME INSP			2421.6	9129.1	2500	6629.1	
	2001-04-14	FUSELAGE TO TAILBOOM JUCTION FRAME INSP				Apr-10	6YRS	Apr-04	
	2001-26-55E	T/R BLADE SKIN INSP			DAILY	DAILY	DAILY	DAILY	
	2002-03-52	STARFLEX ARM END INSPECTION			DAILY	DAILY	DAILY	DAILY	
	2002-06-04	T/R SPIDER BEARING RETIREMENT			1121.5	7829	1200	6629	
	2003-22-06	TAIL ROTOR PITCH CHANGE CONTROL ROD			DAILY	DAILY	DAILY	DAILY	

RETORQUES:

6629.1+HOBBS=AIRFRAME TOTAL TIME
 146.5-AIRFRAME=ENGINE TOTAL TIME

AIRCRAFT SERVICED WITH MOBIL JET II - M/R Swashplate=Shell 7 - TRDS Brngs=Mobil 28